Nuclear Engineering and Design 98 (1987) 453–455
North-Holland, Amsterdam

AUTHOR INDEX TO VOLUME 98

Acker, D., see Autrusson 98 (1987) 379
Aflalo, C., R. Barbarulo, M. Courcot, M. De Marolles, M. Douarin, J.M. Grandemange and R. Martin, Sizing rules for the pressure design of pump casings 98 (1987) 411
Ahmad, J., see Wilkowski 98 (1987) 195
Ainsworth, R.A., see Milne 98 (1987) 401
Angerbauer, A., Elastic creep-fatigue damage evaluation: Less restrictive design rules for SNR 2 components 98 (1987) 337
Asada, Y., see Iida 98 (1987) 283
Asada, Y., see Iida 98 (1987) 305
Autrusson, B., D. Acker and A. Hoffmann, Discussion and validation of a simplified analysis against buckling 98 (1987) 379

Baker, W.E., see Butler 98 (1987) 89
Barbarulo, R., see Aflalo 98 (1987) 411
Barnes, D., see Wilkowski 98 (1987) 195
Bass, B.R., C.E. Pugh and J.K. Walker, Elastodynamic fracture analysis of large crack arrest experiments 98 (1987) 157
Bathe, K.J., Finite elements in CAD and ADINA 98 (1987) 57
Becker, M., see Dette 98 (1987) 351
Bieniussa, K.W., German codes and standards concerning metallic nuclear power plant components – Present state and trends expected 98 (1987) 279
Brust, F., see Wilkowski 98 (1987) 195
Butler, T.A. and W.E. Baker, Steel containment buckling 98 (1987) 89

Campbell, D.J., V.H. Guthrie and G.F. Flanagan, Risk assessment application to NRC inspection 98 (1987) 81
Cecchini, F., P. Neri and E. Pancaldi, Structural verification criteria for PEC reactor core fuel element 98 (1987) 323
Cesari, F. and P. Corticelli, Codes for nuclear plant components – The Italian practice 98 (1987) 319
Cha, G., see Stretti 98 (1987) 437
Chell, G.G., see Milne 98 (1987) 401
Clark, R.A., P.G. Doctor and R.H. Ferris, Surry steam generator – Examination & evaluation 98 (1987) 123
Cordier, G., see Tribout 98 (1987) 445
Corticelli, P., see Cesari 98 (1987) 319
Corwin, W.R., Reactor vessel cladding separate effects studies 98 (1987) 171
Courcot, M., see Aflalo 98 (1987) 411

Day, B.V. and J. Lobley, Background to BS 5500 and its use in the design of AGR plants 98 (1987) 289
De Marolles, M., see Aflalo 98 (1987) 411
Dette, M., M. Becker, J. Pschowski and H.J. Seehafer, Design code for high-temperature reactors – Stage of development in the Federal Republic of Germany 98 (1987) 351
DeWit, R. and R.J. Fields, Wide plate crack arrest testing 98 (1987) 149
Doctor, P.G., see Clark 98 (1987) 123
Douarin, M., see Aflalo 98 (1987) 411

Farr, J.R., Recent design developments in the ASME Boiler and Pressure Vessel Code, Section III, Division I, Nuclear Power Plant Components 98 (1987) 257
Ferris, R.H., see Clark 98 (1987) 123
Fields, R.J., see DeWit 98 (1987) 149
Findlay, J.A., see Suzuki 98 (1987) 39
Flanagan, G.F., see Campbell 98 (1987) 81
Friesel, M.A., see Hutton 98 (1987) 135

Ghadiali, N., see Wilkowski 98 (1987) 195
Gordon, B.M. and G.M. Gordon, Materials aspects of BWR plant life extension 98 (1987) 109
Gordon, G.M., see Gordon 98 (1987) 109
Grandemange, J.M., see Aflalo 98 (1987) 411
Guerrieri, D., see Wilkowski 98 (1987) 195
Guthrie, V.H., see Campbell 98 (1987) 81
Guzy, D., Piping research overview 98 (1987) 103

Heng, C., J.M. Grandemange and A. Morel, RCC-M (Rules for Design and Construction of Nuclear Components) 98 (1987) 265
Hiser, A.L., Piping fracture mechanics data base 98 (1987) 243
Hoffmann, A., see Autrusson 98 (1987) 379
Hutton, P.H., R.J. Kurtz and M.A. Friesel, Progress for on-line acoustic emmission monitoring of cracks in reactor systems 98 (1987) 135

Iida, K., Y. Asada, K. Okabayashi and T. Nagata, Construction codes developed for Prototype FBR Monju 98 (1987) 283

Iida, K., Y. Asada, K. Okabayashi and T. Nagata, Simplified analysis and design for elevated temperature components of Monju 98 (1987) 305

Jobson, D.A., Asymptotic and reference stresses for design by analysis 98 (1987) 395

Kalra, S.P., see Lin 98 (1987) 15
Kashima, K., see Yagawa 98 (1987) 231
Kiefner, J., see Wilkowski 98 (1987) 195
Kitz, G.T. and G.E.O. Widera, Coordination of industry/government/university research and code activities 98 (1987) 367
Koizumi, Y., see Osakabe 98 (1987) 69
Kramer, G., see Wilkowski 98 (1987) 195
Kumamaru, H., see Osakabe 98 (1987) 69
Kurtz, R.J., see Hutton 98 (1987) 135
Kuwabara, K., see Yagawa 98 (1987) 231

Landow, M., see Wilkowski 98 (1987) 195
Lin, C.S., A.T. Wassel, S.P. Kalra and A. Singh, The thermal-hydraulics of a simulated PWR facility during steam generator tube rupture transients 98 (1987) 15
Lobley, J., see Day 98 (1987) 289

Marshall, C., see Wilkowski 98 (1987) 195
Martin, R., see Aflalo 98 (1987) 411
Maxey, W., see Wilkowski 98 (1987) 195
Milella, P.P., Outline of nuclear piping research conducted in Italy 98 (1987) 219
Milne, I., R.A. Ainsworth and G.G. Chell, Predicting the integrity of large diameter stainless steel pipes using the R6 procedures 98 (1987) 401
Morel, A., see Heng 98 (1987) 265
Moulin, D., see Tribout 98 (1987) 445
Mueller, G.E., A heat transfer model for volumetrically heated nuclear debris beds 98 (1987) 1
Mukunda Rao, S.R., see Singh Raman 98 (1987) 9

Nagata, T., see Iida 98 (1987) 283
Nagata, T., see Iida 98 (1987) 305
Nakagaki, M., see Wilkowski 98 (1987) 195
Nakamura, H., see Suzuki 98 (1987) 39
Neri, P., see Cecchini 98 (1987) 323
Nickel, H., see Schubert 98 (1987) 359
Noel, R., The new code "RCC-MR" – Rules for Design and Construction of LMFBR Components 98 (1987) 297

Okabayashi, K., see Iida 98 (1987) 283
Okabayashi, K., see Iida 98 (1987) 305
Osakabe, M., Y. Koizumi, T. Yonomoto, H. Kumamaru and K. Tasaka, Slug to annular flow transition during boiloff in a rod bundle under high-pressure conditions 98 (1987) 69

Pancaldi, E., see Cecchini 98 (1987) 323
Papaspyropoulos, V., see Wilkowski 98 (1987) 195
Parida, F.C., see Singh Raman 98 (1987) 9
Pasupathi, V., see Wilkowski 98 (1987) 195
Pschowski, J., see Dette 98 (1987) 351
Pugh, C.E. and G.D. Whitman, HSST crack-arrest studies overview 98 (1987) 141
Pugh, C.E., see Bass 98 (1987) 157

Raju, P.P., Development of stress indices for nonradial branch connections 98 (1987) 421
Rödig, M., see Schubert 98 (1987) 359
Rose, R.T., B. Tomkins and C.H.A. Townley, Recent UK research and development of high temperature design methods 98 (1987) 339

Schubert, F., M. Rödig and H. Nickel, Multiaxial loading tests of high temperature reactor components 98 (1987) 359
Scott, P., see Wilkowski 98 (1987) 195
Seehafer, H.J., see Dette 98 (1987) 351
Singh, A., see Lin 98 (1987) 15
Singh Raman, R.K., F.C. Parida and S.R. Mukunda Rao, Smoke release behaviour of burning pools of liquid sodium 98 (1987) 9
Stretti G. and G. Cha, Optimisation of the relaxed core stress in the ratcheting evaluation for load histories in elevated temperature design 98 (1987) 437
Sutherland, W.A., see Suzuki 98 (1987) 39
Suzuki, M., J.A. Findlay, K. Tasaka, W.A. Sutherland and H. Nakamura, Similarity study of large steam line break LOCAs in ROSA-III, FIST and BWR/6 98 (1987) 39

Takahashi, Y., see Yagawa 98 (1987) 231
Tasaka, K., see Suzuki 98 (1987) 39
Tasaka, K., see Osakabe 98 (1987) 69
Terzaghi, A., Activities of the Commission of the European Communities in the field of codes and standards for FBRs 98 (1987) 373
Tomkins, B., see Rose 98 (1987) 339
Townley, C.H.A., see Rose 98 (1987) 339
Tribout, J., G. Cordier and D. Moulin, A survey of the French creep-fatigue design rules for LMFBR 98 (1987) 445

Walker, J.K., see Bass 98 (1987) 157
Wassel, A.T., see Lin 98 (1987) 15
Whitman, G.D., see Pugh 98 (1987) 141
Widera, G.E.O., see Kitz 98 (1987) 367
Wilkowski, G., J. Ahmad, D. Barnes, F. Brust, N. Ghadiali, D. Guerrieri, J. Klefner, G. Kramer, M. Landow, C. Marschall, W.

Maxey, M. Nakagaki, V. Papaspyropoulos, V. Pasupathi and P. Scott, Degraded Piping Program – Phase II progress 98 (1987) 195

Yagawa, G., K. Kuwabara, K. Kashima and Y. Takahashi, Research activities on fracture mechanics for nuclear piping in Japan 98 (1987) 231

Yonanoto, T., see Osakabe 98 (1987) 69

Nuclear Engineering and Design 98 (1987) 457–459
North-Holland, Amsterdam

SUBJECT INDEX TO VOLUME 98

Thermal and fluid design

The thermal-hydraulics of a simulated PWR facility during steam generator tube rupture transients, C.S. Lin, A.T. Wassel, S.P. Kalra and A. Singh 98 (1987) 15
Similarity study of large steam line break LOCAs in ROSA-III, FIST and BWR/6, M. Suzuki, J.A. Findlay, K. Tasaka, W.A. Sutherland and H. Nakamura 98 (1987) 39
Slug to annular flow transition during boiloff in a rod bundle under high-pressure conditions, M. Osakabe, Y. Koizumi, T. Yonomoto, H. Kumamaru and K. Tasaka 98 (1987) 69

Heat conduction and transfer

A heat transfer model for volumetrically heated nuclear debris beds, G.E. Mueller 98 (1987) 1

Engineering mechanics

Smoke release behaviour of burning pools of liquid sodium, R.K. Singh Raman, F.C. Parida and S.R. Mukunda Rao 98 (1987) 9
Recent design developments in the ASME Boiler and Pressure Vessel Code Section III, Division I, Nuclear Power Plant Components, J.R. Farr 98 (1987) 257
RCC-M (Rules for Design and Construction of Nuclear Components), C. Heng, J.M. Grandemange and A. Morel 98 (1987) 265
German codes and standards concerning metallic nuclear power plant components, – Present state and trends expected, K.W. Bieniussa 98 (1987) 279
Construction codes developed for Prototype FBR Monju, K. Iida, Y. Asada, K. Okabayashi and T. Nagata 98 (1987) 283
Background to BS 5500 and its use in the design of AGR plants, B.V. Day and J. Lobley 98 (1987) 289
The new code "RCC-MR" – Rules for Design and Construction of LMFBR Components, R. Noel 98 (1987) 297
Simplified analysis and design for elevated temperature components of Monju, K. Iida, Y. Asada, K. Okabayashi and T. Nagata 98 (1987) 305
Codes for nuclear plant components – The Italian practice, F. Cesari and P. Corticelli 98 (1987) 319
Structural verification criteria for PEC reactor core fuel element, F. Cecchini, P. Neri and E. Pancaldi 98 (1987) 323
Elastic creep-fatigue damage evaluation: Less restrictive design rules for SNR 2 components, A. Angerbauer 98 (1987) 337
Recent UK research and development of high temperature design methods, R.T. Rose, B. Tomkins and C.H.A. Townley 98 (1987) 339
Design code for high-temperature reactors – Stage of development in the Federal Republic of Germany, M. Dette, M. Becker, J. Pschowski and H.J. Seehafer 98 (1987) 351
Multiaxial loading tests of high temperature reactor components, F. Schubert, M. Rödig and H. Nickel 98 (1987) 359
Coordination of industry/government/university research and code activities, G.T. Kitz and G.E.O. Widera 98 (1987) 367
Activities of the Commission of the European Communities in the field of codes and standards for FBRs, A. Terzaghi 98 (1987) 373
Discussion and validation of a simplified analysis against buckling, B. Autrusson, D. Acker and A. Hoffmann 98 (1987) 379
Asymptotic and reference stresses for design by analysis, D.A. Jobson 98 (1987) 395
Predicting the integrity of large diameter stainless steel pipes using the R6 procedures, I. Milne, R.A. Ainsworth and G.G. Chell 98 (1987) 401
Sizing rules for the pressure design of pump casings, C. Aflalo, R. Barbarulo, M. Courcot, M. De Marolles, M. Douarin, J.M. Grandemange and R. Martin 98 (1987) 411
Development of stress indices for nonradial branch connections, P.P. Raju 98 (1987) 421
Optimisation of the relaxed core stress in the ratcheting evaluation for load histories in elevated temperature design, G. Stretti and G. Cha 98 (1987) 437
A survey of the French creep-fatigue design rules for LMFBR, J. Tribout, G. Cordier and D. Moulin 98 (1987) 445

Materials properties

Finite elements in CAD and ADINA, K.J. Bathe 98 (1987) 57
Materials aspects of BWR plant life extension, B.M. Gordon and G.M. Gordon 98 (1987) 109
Progress for on-line acoustic emmission monitoring of cracks in reactor systems, P.H. Hutton, R.J. Kurtz and M.A. Friesel 98 (1987) 135
HSST crack-arrest studies overview, C.E. Pugh and G.D. Whitman 98 (1987) 141
Wide plate crack arrest testing, R. deWit and R.J. Fields 98 (1987) 149
Elastodynamic fracture analysis of large crack arrest experiments, B.R. Bass, C.E. Pugh and J.K. Walker 98 (1987) 157
Reactor vessel cladding separate effects studies, W.R. Corwin 98 (1987) 171
Degraded Piping Program – Phase II progress, G. Wilkowski, J. Ahmad, D. Barnes, F. Brust, N. Ghadiali, D. Guerrieri, J. Kiefner, G. Kramer, M. Landow, C. Marschall, W. Maxey, M. Nakagaki, V. Papaspyropoulos, V. Pasupathi and P. Scott 98 (1987) 195
Research activities on fracture mechanics for nuclear piping in Japan, G. Yagawa, K. Kuwabara, K. Kashima and Y. Takahashi 98 (1987) 231
Piping fracture mechanics data base, A.L. Hiser 98 (1987) 243

Mechanical design, component fabrication and testing

Steel containment buckling, T.A. Butler and W.E. Baker 98 (1987) 89
Piping research overview, D. Guzy 98 (1987) 103
Surry steam generator – Examination & evaluation, R.A. Clark, P.G. Doctor and R.H. Ferris 98 (1987) 123
Degraded Piping Program – Phase II progress, G. Wilkowski, J. Ahmad, D. Barnes, F. Brust, N. Ghadiali, D. Guerrleri, J. Kiefner, G. Kramer, M. Landow, C. Marschall, W. Maxey, M. Nakagaki, V. Papaspyropoulos, V. Pasupathi and P. Scott 98 (1987) 195
Outline of nuclear piping research conducted in Italy, P.P. Milella 98 (1987) 219
Research activities on fracture mechanics for nuclear piping in Japan, G. Yagawa, K. Kuwabara, K. Kashima and Y. Takahashi 98 (1987) 231

Reactor concepts and systems analysis

Risk assessment application to NRC inspection, D.J. Campbell, V.H. Guthrie and G.F. Flanagan 98 (1987) 81

Structural design, construction methods and testing

Recent design developments in the ASME Boiler and Pressure Vessel Code, Section III, Division I, Nuclear Power Plant Components, J.R. Farr 98 (1987) 257
RCC-M (Rules for Design and Construction of Nuclear Components), C. Heng, J.M. Grandemange and A. Morel 98 (1987) 265
German codes and standards concerning metallic nuclear power plant components – Present state and trends expected, K.W. Bieniussa 98 (1987) 279
Construction codes developed for Prototype FBR Monju, K. Iida, Y. Asada, K. Okabayashi and T. Nagata 98 (1987) 283
Background to BS 5500 and its use in the design of AGR plants, B.V. Day and J. Lobley 98 (1987) 289
The new code "RCC-MR" – Rules for design and construction of LMFBR components, R. Noel 98 (1987) 297
Simplified analysis and design for elevated temperature components of Monju, K. Iida, Y. Asada, K. Okabayashi and T. Nagata 98 (1987) 305
Codes for nuclear plant components – The Italian practice, F. Cesari and P. Corticelli 98 (1987) 319
Structural verification criteria for PEC reactor core fuel element, F. Cecchini, P. Neri and E. Pancaldi 98 (1987) 323
Elastic creep-fatigue damage evaluation: Less restrictive design rules for SNR 2 components, A. Angerbauer 98 (1987) 337
Recent UK research and development of high temperature design methods, R.T. Rose, B. Tomkins and C.H.A. Townley 98 (1987) 339
Design code for high-temperature reactors – Stage of development in the Federal Republic of Germany, M. Dette, M. Becker, J. Pschowski and H.J. Seehafer 98 (1987) 351
Multiaxial loading tests of high temperature reactor components, F. Schubert, M. Rödig and H. Nickel 98 (1987) 359
Coordination of industry/government/university research and code activities, G.T. Kitz and G.E.O. Widera 98 (1987) 367
Activities of the Commission of the European Communities in the field of codes and standards for FBRs, A. Terzaghi 98 (1987) 373
Discussion and validation of a simplified analysis against buckling, B. Autrusson, D. Acker and A. Hoffmann 98 (1987) 379
Asymptotic and reference stresses for design by analysis, D.A. Jobson 98 (1987) 395
Predicting the integrity of large diameter

stainless steel pipes using the RG procedures, I. Milne, R.A. Ainsworth and G.G. Chell 98 (1987) 401
Sizing rules for the pressure design of pump casings, C. Aflalo, R. Barbarulo, M. Courcot, M. De Marolles, M. Douarin, J.M. Grandemange and R. Martin 98 (1987) 411
Development of stress indices for nonradial branch connections, P.P. Raju 98 (1987) 421
Optimisation of the relaxed core stress in the ratcheting evaluation for load histories in elevated temperature design, G. Stretti and G. Cha 98 (1987) 437
A survey of the French creep-fatigue design rules for LMFBR, J. Tribout, G. Cordier and D. Moulin 98 (1987) 445

System control and controls

Risk assessment application to NRC inspection, D.J. Campbell, V.H. Guthrie and G.F. Flanagan 98 (1987) 81

Nuclear safety

The thermal-hydraulics of a simulated PWR facility during steam generator tube rupture transients, C.S. Lin, A.T. Wassel, S.P. Kalra and A. Singh 98 (1987) 15
Similarity study of large steam line break LOCAs in ROSA-III, FIST and BWR/6, M. Suzuki, J.A. Findlay, K. Tasaka, W.A. Sutherland and H. Nakamura 98 (1987) 39
Slug to annular flow transition during boiloff in a rod bundle under high-pressure conditions, M. Osakabe, Y. Koizumi, T. Yonomoto, H. Kumamaru and K. Tasaka 98 (1987) 69